

An Axiomatic Approach to Truth Discovery

Joe Singleton

November 2019

What is Truth Discovery?

- Lots of information is available today, from many different sources
 - The web
 - Social media platforms (Twitter, Facebook, ...)
 - Crowdsourcing systems
- People often *disagree* with what is true. Who should we trust in this case, and what should we believe?
- **Truth discovery:** find *true facts* and *trustworthy data sources* when faced with conflicting information.
- Core idea: trustworthy sources make believable claims, and believable claims are made by trustworthy sources

- Background and context to the problem
- Existing work in this area
- Our work:
 - Framework for truth discovery
 - Axioms and results
 - Analysis of existing algorithms wrt axioms

Background for truth discovery

- We have a number of *objects* (or *variables*) of interest
 - e.g. real world entities, questions
- *Data sources* claim different *facts* (or *values*) for these objects. ‘Facts’ can be *conflicting*
- Naive solution: believe the facts claimed by the most sources, i.e. perform a *vote*
- Will this work?
 - Anti-vaccine movement on social media
- It would be better to use *trust* information
 - Trustworthy sources are given more weight
 - Won’t get misled by an untrustworthy majority

- Resolving conflicts in information is not new
 - Belief revision
 - Belief merging
 - Judgment aggregation
 - Argumentation
 - etc...
- Truth discovery is distinguished by its consideration of trustworthiness
- Many algorithms proposed in recent years
 - Often use statistical methods
 - Mostly *unsupervised*: no ground truths for objects, and no known trustworthiness values

- Many algorithms are opaque – difficult to see what the algorithm is actually *doing*
- Have to be evaluated empirically
- It is difficult to compare algorithms
- Would be useful to have some *theory* behind truth discovery: specifically *axioms*

The axiomatic method

- **Axiom:** a desirable property that any reasonable truth discovery algorithm should satisfy
- Axiomatic method is popular in social choice, judgment aggregation...
- Common goals are *impossibility results* and *characterisation results*
- E.g. voting has *Arrow's Impossibility Theorem*
 - Three seemingly good axioms cannot hold at the same time
 - Highlights fundamental problem with voting
- E.g. Altman and Tennenholtz¹ characterised PageRank from Google
 - Found a set of *sound* and *complete* axioms for PageRank
- Idea: can we give truth discovery an axiomatic treatment?

¹Alon Altman and Moshe Tennenholtz. 2005. Ranking systems: the PageRank axioms.

- Defined a formal framework
- Formulated some axioms
 - Mostly inspired by social choice, JA and ranking systems
- An impossibility and characterisation result along the way
- Had a look at some existing truth discovery algorithms against our axioms

The framework: what is the input to the truth discovery?

- We consider a *very basic* form of truth discovery
- We have a finite set of sources \mathcal{S} , facts \mathcal{F} and objects \mathcal{O}
- Input to the problem (the dataset) is called a *truth discovery network*, and is defined as a graph
- We assume each object has a single *true fact* associated with it
- Representing input as a graph is already common in the literature




Figure 1: Example truth discovery network

The framework: what is the output?

- Outputs are usually numeric *trust scores* and *belief scores*
- These are not comparable between algorithms
- Scores induce *rankings* (tpos), which *are* comparable
 - Source ranking tells us who is *more trustworthy*
 - Fact ranking tells us which fact is *more believable*
- Algorithms are represented in the framework as functions, and are called *truth discovery operators*

Network example revisited

- **Question:** what do you think is the most sensible ranking of f and g ?
Which fact should we believe?




Figure 2: Example network

Network example revisited (II)

- What about in this case?




Figure 3: Modified example network

- The framework provides the definitions required to formally state axioms
- Most axioms adapted from social choice
- I will only mention the important ones...

- Axioms are supposed to represent intuitive *desirable properties* of operators
- Key principle of truth discovery: trustworthy sources make believable claims, and vice versa
- The trust and belief rankings need to *cohere* in this sense
- This idea is hard to pin down in general, but we can do so in specific cases...




Figure 4: Coherence motivating example

- **Fact-Coherence:** If $s \sqsubseteq u$ and $t \sqsubseteq v$ then $f \prec g$
- **Source-Coherence:** If $f \prec g$ then $s \sqsubseteq u$
- This idea comes from axiomatic analysis of ranking systems under the name *transitivity*²
- We consider this the most important axiom

²Alon Altman and Moshe Tennenholtz. 2008. Axiomatic Foundations for Ranking Systems

Symmetry

- Rankings should depend on the *structure* of the network, not the *names* of sources and facts
- Consider swapping s with t and h with i :





Figure 5: Isomorphic truth discovery networks

Monotonicity

- We don't want *Voting*, but more support is better in some sense...
- If f is at least as believable as g and extra support for f comes in, f should become *strictly* more believable




Figure 6: Monotonicity motivating example

Independence

- Notion of *independence* is important: the ranking of a source/fact should only depend on the stuff that is relevant to it





Figure 7: Independence motivating example


- e.g. are *u* and *v* relevant to *s*?

Per-object Independence (POI)

- First attempt at independence, obtained by translating social choice (esp. voting) version of independence
- If facts and sources for object o are the same in N and N' , the ranking of o 's facts is the same



(a)



(b)

Figure 8: POI example

Is POI a good idea?

- POI means we cannot use inter-object links
- With Symmetry and Monotonicity, this is very bad: it implies *Voting* behaviour within the facts for each object

Theorem

Let T be any operator satisfying Symmetry, Monotonicity and POI. Then for any network N , object o and facts f, g for o , we have

$$f \preceq_N^T g \iff |\text{src}_N(f)| \leq |\text{src}_N(g)|$$



POI Theorem Example

- In the network below, the previous theorem gives

$$f \approx g$$

$$h \prec i$$

- Note:** we cannot say anything about f vs h or g vs i etc...




Figure 9: Example network

- Remember Coherence is our key axiom, which *Voting* fails
- Symmetry, Monotonicity and POI imply *Voting*-like behaviour
- Symmetry, Monotonicity, POI and Coherence? **No**

Theorem

There is no operator satisfying Coherence, Symmetry, Monotonicity and POI.



- This is the first impossibility result for truth discovery

Strong Independence

- Our first theorem almost characterises the fact ranking of *Voting*. Can POI be strengthened to get a full characterisation?
- **Yes.** Answer is to ignore objects altogether: the ranking of f and g depends only on the sources for f and g (*Strong Independence*)

Theorem

An operator T satisfies *Strong Independence*, *Monotonicity* and *Symmetry* if and only if for any network N and $f, g \in \mathcal{F}$ we have

$$f \preceq_N^T g \iff |\text{src}_N(f)| \leq |\text{src}_N(g)|$$

□

Final Independence axiom

- POI and Strong Independence are *not* desirable
- Our final version of independence is very weak: two nodes are relevant to each other if there is a path between them, i.e. if they are in the same *connected component* of the graph




Figure 10: Independence example

Satisfaction of the axioms

- Those are the important axioms. Are they satisfied by actual truth discovery algorithms? We looked at *Voting* and *Sums*³

| | Voting | SC-Voting | Sums | U-Sums |
|------------|--------|-----------|------|--------|
| Coherence | X | X | ✓ | ✓ |
| Symmetry | ✓ | ✓ | ✓ | ✓ |
| Mon. | ✓ | ✓ | X | ? |
| POI | ✓ | ✓ | X | X |
| Str. Indep | ✓ | ✓ | X | X |
| Indep. | ✓ | X | X | ✓ |

Table 1: Satisfaction of the axioms for the various operators

- We conjecture that the ? is a ✓

³Jeff Pasternack and Dan Roth. 2010. Knowing What to Believe (when You Already Know Something).

Conclusion and future work

- So far...
 - We have developed a formal framework for truth discovery
 - Stated *axioms*, inspired by work in social choice theory
 - Obtained an impossibility result and characterised *Voting*
 - Analysed *Voting* and *Sums* wrt the axioms
- Future work...
 - Extend the basic truth discovery model, e.g. to handle infinitely many facts, correlations between facts, incorporate prior knowledge
 - Deeper analysis of the axioms and their interactions
 - Key unanswered question: can we have Coherence, Symmetry, Monotonicity and Independence at the same time?